



Halldon House  
2255 Carling Avenue  
Ottawa, Ontario  
K1A 0Y9  
Tel: (613) 995-5433  
Fax: (613) 993-8959

Your file    *Votre référence*

Our file    *Notre référence*

3100-3/L034

February 7, 1994

Doug Rennie  
LPS District Sales Manager  
PS Laboratories, Inc.  
4647 Hugh Howell Rd.  
Tucker, GA 30084  
U.S.A.

**RE/OBJET: L034    LPS LABORATORIES INC.**

07/02/94	n1	LPS-1 - Greaseless Lubricant
07/02/94	n1	LPS-2 - Lubricant
07/02/94	n1	LPS-3 - Rust Inhibitor
07/02/94	n1	LPS - Heavy Duty Silicone Lubricant
07/02/94	d3	LPS - Instant Cold Galvanize

*This will acknowledge your letter dated 24/01/94 concerning the aforementioned products for which acceptance has been requested for use in Registered Establishments.*

*Nous accusons réception de votre lettre datée du 24/01/94 concernant les produits en rubrique dont vous demandez l'autorisation pour l'usage dans les établissements agréés.*

*The final printing of your labels has been reviewed and the contents, as they apply to the use in connection with food in Registered Establishments, appear satisfactory. No objection, therefore, will be taken to the use of the above products in Registered Establishments provided that they are used in keeping with the instructions outlined on the labels.*

*Les épreuves finales des étiquettes ont été revues et le contenu nous apparaît acceptable en ce qui a trait à l'utilisation des produits en relation avec les denrées alimentaires. Nous ne nous opposerons pas à ce que les établissements agréés utilisent les produits en question, à condition qu'ils soient utilisés conformément selon les recommandations d'application indiquées sur l'étiquette.*

.../2

